

Section 1. Identification

...

Supplier	
Star brite, Inc. 4041 SW 47th Avenue Fort Lauderdale, FL 33314 Tel: (954) 587-6280 Fax: (954) 587-2813 Web: www.starbrite.com	
Emergency telephone number	US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)
Product name	Boat Caulk - White
Code	083821N
Specific uses	Sealants and adhesives
Specific uses	
Section 2. Hazards	identification
OSHA/HCS status	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	Not classified.
GHS label elements	
Signal word	No signal word.
Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Hazards not otherwise classified	None known.

Section 3. Composition/information on ingredients

Substance/mixture

Mixture

Ingredient name	% by weight	CAS number
titanium dioxide	1 - 5	13463-67-7
Naphtha (petroleum), hydrotreated heavy	1 - 5	64742-48-9
crystalline silica non-respirable	0.1 - 1	14808-60-7

Canada

Section 3. Composition/information on ingredients

Name	CAS number	%
calcium carbonate	471-34-1	30 - 60
Limestone	1317-65-3	10 - 30
di-"isodecyl" phthalate	26761-40-0	10 - 30
titanium dioxide	13463-67-7	1 - 5
stearic acid	57-11-4	1 - 5
Naphtha (petroleum), hydrotreated heavy	64742-48-9	1 - 5
crystalline silica non-respirable	14808-60-7	0.1 - 1

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed Potential acute health effects Inhalation No known significant effects or critical hazards. **Skin contact** No known significant effects or critical hazards. Eye contact No known significant effects or critical hazards. No known significant effects or critical hazards. Ingestion **Over-exposure signs/symptoms** Inhalation No specific data. Skin contact No specific data. Eye contact No specific data. Ingestion No specific data. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

See toxicological information (Section 11)

Section 5. Fire-fighting measures				
Extinguishing media				
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.			
Unsuitable extinguishing media	None known.			

2/11

FKFAM.UN-CC		Date of issue/Date of revision FKFAM.UN-CC	8 July 2014	Date of previous issue	11 Feb 2014.	Version 1.01
-------------	--	---	-------------	------------------------	--------------	--------------

No specific treatment.

Section 5. Fire-fighting measures

occuon 5. The light					
Specific hazards arising from the chemical	No specific fire or explosion hazard.				
National Fire Protection Asso	ciation (U.S.A.)				
	Flammability				
Health 1	0 Instability/Reactivity				
	Special				
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides				
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.				
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.				

Section 6. Accidental release measures

Personal precautions, protecti	ive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for cor	ntainment and cleaning up
Small spill	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8).

Date of issue/Date of revision	8 July 2014	Date of previous issue	11 Feb 2014.	Version 1.01	3/11
FKFAM.UN-CC					

Section 7. Handling and storage

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	CAS #	Exposure limits
titanium dioxide	13463-67-7	ACGIH TLV (United States, 3/2012). TWA: 10 mg/m ³ 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 6/2010). TWA: 15 mg/m ³ 8 hours. Form: Total dust
crystalline silica non-respirable	14808-60-7	OSHA PEL Z3 (United States, 9/2005). Notes: 250/(%SiO2+5) TWA: 250 MPPCF / (%SiO2+5) 8 hours. Form: Respirable OSHA PEL Z3 (United States, 9/2005). Notes: 10/(SiO2+2) TWA: 10 MG/M3 / (%SiO2+2) 8 hours. Form: Respirable ACGIH TLV (United States, 3/2012). TWA: 0.025 mg/m ³ 8 hours. Form: Respirable fraction NIOSH REL (United States, 1/2013). TWA: 0.05 mg/m ³ 10 hours. Form: respirable dust OSHA PEL Z3 (United States, 9/2005). Notes: 30/(%SiO2+2) TWA: 30 MG/M3 / (%SiO2+2) 8 hours. Form: Total dust.

<u>Canada</u>

Occupational exposure limits		TWA	TWA (8 hours)		STEL (15 mins)			Ceiling			
Ingredient	List name	ppm	mg/ m³	Other	ppm	mg/ m³	Other	ppm	mg/ m³	Other	Notations
Limestone	AB 4/2009	-	10	-	-	-	-	-	-	-	
	BC 4/2012	-	3	-	-	-	-	-	-	-	[a]
		-	10	-	-	-	-	-	-	-	[b]
		-	-	-	-	20	-	-	-	-	
	QC 12/2012	-	10	-	-	-	-	-	-	-	[c]
titanium dioxide	US ACGIH 3/2012	-	10	-	-	-	-	-	-	-	
	AB 4/2009	-	10	-	-	-	-	-	-	-	
	BC 4/2012	-	3	-	-	-	-	-	-	-	[a]
		-	10	-	-	-	-	-	-	-	[b]
	ON 1/2013	-	10	-	-	-	-	-	-	-	
	QC 12/2012	-	10	-	-	-	-	-	-	-	[c]
stearic acid	ON 1/2013	-	10	-	-	-	-	-	-	-	[d]
crystalline silica non-respirable	US ACGIH 3/2012	-	0.025	-	-	-	-	-	-	-	[e]
	BC 4/2012	-	0.025	-	-	-	-	-	-	-	[f]
	ON 1/2013	-	0.1	-	-	-	-	-	-	-	[g]
	QC 12/2012	-	0.1	-	-	-	-	-	-	-	[h]
calcium carbonate	AB 4/2009	-	10	-	-	-	-	-	-	-	
		-	10	-	-	-	-	-	-	-	[c]
di-"isodecyl" phthalate	ON 1/2013	-	5	-	-	-	-	-	-	-	

Form: [a]Respirable dust [b]Total dust [c]Total dust. [d]Total particulate mass [e]Respirable fraction [f]Respirable [g] Respirable fraction: means that size fraction of the airborne particulate deposited in the gas-exchange region of the respiratory tract and collected during air sampling with a particle size-selective device that, (a) meets the ACGIH particle size-selective sampling criteria for airborne particulate matter; and (b) has the cut point of 4 µm at 50 per cent collection efficiency. [h]Respirable dust.

Section 8. Exposure controls/personal protection

•	• •						
Appropriate engineering controls	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.						
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.						
Individual protection measure	<u>19</u>						
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.						
Respiratory protection	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.						
Skin protection							
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.						
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.						
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.						
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.						

Section 9. Physical and chemical properties

Physical state	Solid.				
Color	White.				
Odor	Menthol-like.				
Odor threshold	Not available.				
рН	Not available.				
Melting point	Not available.				
Boiling point	Not available.				
Flash point	Closed cup: >9	3.3°C (>199.9°F) [Product	does not sustain con	nbustion.]	
Evaporation rate	Not available.				
Flammability (solid, gas)		mable in the presence of th and static discharge.	ne following materials	or conditions: open	
Lower and upper explosive (flammable) limits	Not available.				
Vapor pressure	Not available.				
Vapor density	Not available.				
Relative density	1.587				
Date of issue/Date of revision FKFAM.UN-CC	8 July 2014	Date of previous issue	11 Feb 2014.	Version 1.01	5/11

Section 9. Physical and chemical properties

Solubility	Easily soluble in the following materials: methanol and acetone. Insoluble in the following materials: cold water and hot water.
Solubility in water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	>200°C (>392°F)
Viscosity	Not available.

Section 10. Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients.
The product is stable.
Under normal conditions of storage and use, hazardous reactions will not occur.
No specific data.
No specific data.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Naphtha (petroleum), hydrotreated heavy	LD50 Oral	Rat	>6 g/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
titanium dioxide	Skin - Mild irritant	Human		72 hours 300 Micrograms Intermittent	-

Sensitization

No specific data.

Mutagenicity

No specific data.

Carcinogenicity

No specific data.

Classification

Product/ingredient name	OSHA	IARC	NTP
titanium dioxide crystalline silica non- respirable	-	2B 1	- Known to be a human carcinogen.

Reproductive toxicity

No specific data.

Section 11. Toxicological information

Teratogenicity

No specific data.

Specific target organ toxicity (single exposure)

No specific data.

Specific target organ toxicity (repeated exposure)

No specific data.

Aspiration hazard

Name	Result
Naphtha (petroleum), hydrotreated heavy	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure

Not available.

Potential acute health effects	
Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	No specific data.
Ingestion	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	_
Potential immediate effects	Not available.
Potential delayed effects	Not available.
Long term exposure	
Potential immediate effects	Not available.
Potential delayed effects	Not available.
Potential chronic health effec	<u>ts</u>
No specific data.	
General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates

083821N			
Section 11. Toxicological information			
Route	ATE value		
Oral	120862.6 mg/kg		

Section 12. Ecological information

<u>Toxicity</u>			
Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute LC50 1000000 µg/l Marine water	Fish - Fundulus heteroclitus	96 hours

Persistence and degradability

No specific data.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
titanium dioxide Naphtha (petroleum), hydrotreated heavy	-	352 10 to 2500	low high

Mobility in soil

Soil/water partition	
coefficient (Koc)	

Not available.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
RCRA classification	Not available.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	ΙΑΤΑ
UN Number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Date of issue/Date of	f revision 8 July 20	Date of	previous issue	11 Feb 2014.	Version 1.01 8/1

Section 14. Transport information

Section 14. Transport information					
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-

Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

nited States								
.S. Federal regulations	TSCA 4(a) final test rules: di-"isodecyl" phthalate; tetramethyl orthosilicate							
	TSCA 8(a) CE	OR Exempt/	Partial ex	xemption:	Not determined	b		
	United States	inventory	(TSCA 8	b) : All com	ponents are list	ted or exem	npted.	
	Clean Water	Act (CWA) :	307 : di-''is	sodecyl" ph	thalate			
	Clean Water	Act (CWA) :	311 : ethy	lenediamin	e			
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	Not listed							
Clean Air Act Section 602 Class I Substances	Not listed							
Clean Air Act Section 602 Class II Substances	Not listed							
SARA 302/304								
Composition/information o	<u>n ingredients</u>							
				SARA 30	2 TPQ	SARA 30	04 RQ	
Name		%	EHS	(lbs)	(gallons)	(lbs)	(gallons)	
ethylenediamine		0 - 0.1	Yes.	10000	1334.1	5000	667	
SARA 304 RQ	106292517 lbs	s / 48256802	2.7 ka	1	I	-		

SARA 311/312

Classification Not applicable.

Composition/information on ingredients

Name	%		Sudden release of pressure		Immediate (acute) health hazard	Delayed (chronic) health hazard
titanium dioxide Naphtha (petroleum), hydrotreated heavy crystalline silica non-respirable	1 - 5 1 - 5 0.1 - 1	No. Yes. No.	No. No. No.	No. No. No.	No. No. No.	Yes. No. Yes.

Section 15. Regulatory information

State regulations	
Massachusetts	The following components are listed: CALCIUM CARBONATE; TITANIUM DIOXIDE
New York	None of the components are listed.
New Jersey	The following components are listed: CALCIUM CARBONATE; LIMESTONE; SILICA, QUARTZ; QUARTZ (SiO2); TITANIUM DIOXIDE; TITANIUM OXIDE (TiO2)
Pennsylvania	The following components are listed: LIMESTONE; QUARTZ (SIO2); PHTHALATE ESTERS; TITANIUM OXIDE (TIO2)
Minnesota Hazardous Substances	None of the components are listed.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
di-"isodecyl" phthalate	No.	Yes.	No.	Yes.
titanium dioxide	Yes.	No.	No.	No.
crystalline silica non-respirable	Yes.	No.	No.	No.
methanol	No.	Yes.	No.	No.

Canada

WHMIS (Canada)	Class D-2A: Material causing other toxic effects (Very toxic).
<u>Canadian lists</u>	
Canadian NPRI	The following components are listed: Hydrotreated heavy naphtha
CEPA Toxic substances	None of the components are listed.
Canada inventory	Not determined.
	ied in accordance with the hazard criteria of the Controlled Products Regulations information required by the Controlled Products Regulations.

International regulations	
International lists	Australia inventory (AICS): At least one component is not listed.
	China inventory (IECSC): At least one component is not listed.
	Japan inventory: Not determined.
	Korea inventory: At least one component is not listed.
	Malaysia Inventory (EHS Register): Not determined.
	New Zealand Inventory of Chemicals (NZIoC): At least one component is not listed.
	Philippines inventory (PICCS): At least one component is not listed.
	Taiwan inventory (CSNN): Not determined.

Substances of very high concern

None of the components are listed.

Section 16. Other information

Key to abbreviations	BCF = Bioco GHS = Glob IATA = Intern IBC = Intern IMDG = Inte LogPow = Io MARPOL 73	e Toxicity Estimate oncentration Factor ally Harmonized System of C national Air Transport Associa hediate Bulk Container rnational Maritime Dangerous ogarithm of the octanol/water p 3/78 = International Conventio dified by the Protocol of 1978. Nations	ation Goods partition coefficient in for the Prevention	of Pollution From S	hips,
References	Not available	Э.			
Date of issue/Date of revision FKFAM.UN-CC	8 July 2014	Date of previous issue	11 Feb 2014.	Version 1.01	10/11

Section 16. Other information

Indicates information that has changed from previously issued version.

Notice to reader

NON-WARRANTY: The information presented in this publication is based upon the research and experience of Star brite. No representation or warranty is made, however, concerning the accuracy or completeness of the information presented in this publication. Star brite makes no warranty or representation of any kind, express or implied, including without limitation any warranty of merchantability or fitness for any particular purpose, and no warranty or representation shall be implied by law or otherwise. Any products sold by Star brite are not warranted as suitable for any particular purpose to the buyer. The suitability of any products for any purpose particular to the buyer is for the buyer to determine. Star brite assumes no responsibility for the selection of products suitable to the particular purposes of any particular buyer. Star brite shall in no event be liable for any special, incidental, or consequential damages.