MATERIAL SAFETY DATA SHEET

Manufacturer: Star brite Distributing, Inc. Telephone: 954-587-6280

Address: 4041 S. W. 47 Avenue, Emergency: 800-424-9300 or 703-527-3887 - Chemtrec

Ft. Lauderdale, FL 33314

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

Product No.: 84308, 84316, 84332, 84300, 843GA5, 843G55, 84408, 84416, 84432, 84400, 844GA5, 844G55

Trade Name: Star brite EZ-To-Store EZ-To-Start Gas Storage Additive Date: January 22, 2010

Star brite EZ-To-Store EZ-To-Start Diesel Additive Replaces: September 20, 2009dco

Synonyms:

Description: A FUEL ADDITIVE PRODUCT CONTAINING KEROSENE

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

	% OF	EXPOSURE LIMITS OSHA TWA		ACGIH	
COMPONENT NAMES Stoddard Solvent	PRODUCT	PPM MG	i/M3	PPM	MG/M3
CAS #: 8052-41-3	BT 90-95	500	350	NG	NG
XYLENE CAS #: 1330207	BT 1-5	100	434	100	434

SECTION 3 HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: Prolonged or repeated contact with skin may cause moderate irritation. Contact

with eyes can cause severe irritation. Inhalation of vapors may cause respiratory

irritation. Harmful or fatal if swallowed.

POTENTIAL HEALTH EFFECTS

CARCINOGENICITY: Product not considered a carcinogen by OSHA, NTP, or IARC.

MEDICAL CONDITIONS

WHICH MAY BE AGGRAVATED

BY EXPOSURE: Pre-existing eye or skin conditions may be aggravated by over-exposure to

this product.

TARGET ORGANS: Liver, kidneys, lungs.

ACUTE HEALTH EFFECTS

EYE CONTACT: Will cause irritation upon contact.

SKIN CONTACT: Prolonged or repeated contact with skin can cause irritation.

INHALATION: Respiratory irritation and dizziness.

INGESTION: Over exposure to the ingredients in this product can cause liver abnormalities

and kidney damage.

HMIS Ratings: 1 HEALTH 2 FLAMMABILITY 0 REACTIVITY

0=Insignificant 1=Slight 2=Moderate 3=High 4=Service

SECTION 4 FIRST AID INFORMATION

EYE CONTACT: Immediately flush eyes with plenty of water for 15 minutes. Seek medical attention.

SKIN CONTACT: Wash area with soap and water. Seek medical attention if irritation persists.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. Seek medical attention.

INGESTION: DO NOT induce vomiting. Give CONSCIOUS victim large quantities of water and seek

medical attention immediately. NEVER give water to unconscious victim or victim having

trouble breathing.

Product No.: 84308, 84316, 84332, 84300, 843GA5, 843G55, 84408, 84416, 84432, 84400, 844GA5, 844G55

Trade Name: Star brite EZ-To-Store EZ-To-Start Gas Storage Additive and Date: Date: January 22, 2010

Star brite EZ-To-Store EZ-To-Start Diesel Additive

SECTION 5 FIRE FIGHTING MEASURES

Closed Cup Flash Pt.: BT TCC > 42-45°C (107-113°F)

Open Cup Flash Point: NG Fire Point: NG

Auto Ignition: > 230°C (>446°F)

EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, Water Fog.

UNUSUAL FIRE AND

EXPLOSIVE HAZARDS: Vapors are heavier than air and can collect in low areas.

FIRE FIGHTING

INSTRUCTIONS: Containers can build up pressure if exposed to fire. Containers should be cooled

with water spray.

FIRE FIGHTING

EQUIPMENT: Self contained breathing apparatus with full face piece operated in pressure demand

or positive pressure mode.

SECTION 6 ACCIDENTAL RELEASE MEASURES

SPILL/LEAK PROCEDURES: Notify safety personnel, evacuate all unnecessary personnel and provide

adequate ventilation. If feasible without risk, clean-up personnel should stop leak.

All clean-up personnel should wear proper personal protective equipment.

SMALL SPILL: Clean with inert absorbant and place in recovery drums for disposal.

LARGE SPILL: Dike to prevent further migration of material. Do not release into waterways or

sewers. Follow applicable OSHA regulation 20CFR1910.120.

SECTION 7 HANDLING AND STORAGE

STORAGE REQUIREMENTS: Store in clean, dry locations away from excessive heat. Store in areas

designated for the storage of combustible liquids according to NFPA 30

(Flammable and Combustible Liquids Code).

HANDLING PRECAUTIONS: Wash thoroughly after handling. Do not get into eyes, on skin, or on clothing.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION EQUIPMENT

ENGINEERING CONTROLS: Eye wash station and safety shower.

VENTILATION: Strong general or local exhaust ventilation.

PERSONAL PROTECTIVE EQUIPMENT

EYE PROTECTION: Chemical splash goggles with indirect or no ventilation. SKIN PROTECTION: Chemical resistant gloves such as Nitrile or Neoprene.

RESPIRATORY PROTECTION: Air purifying organic vapor respirator if vapors are a nuisance or if

concentrations are above PEL or TLV.

COMMENTS: Never eat, drink, or smoke in work areas.

Product No.: 84308, 84316, 84332, 84300, 843GA5, 843G55, 84408, 84416, 84432, 84400, 844GA5, 844G55

Trade Name: Star brite EZ-To-Store EZ-To-Start Gas Storage Additive and Date: Date: January 22, 2010

Star brite EZ-To-Store EZ-To-Start Diesel Additive

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: 160-200 °C (320-392 °F)

Specific Gravity: 0.78

Vapor Pressure: 0.00386 PSI G 68° F

Vapor Density: 4.8
Percent Volatile: 100%
pH: NG

Solubility In Water: Not soluble.

Odor/Appearance/

Other Characteristics: Amber liquid, petroleum distillate odor.

SECTION 10 STABILITY AND REACTIVITY INFORMATION

STABILITY: Material is stable

POLYMERIZATION: Hazardous polymerization cannot occur.

CHEMICAL

INCOMPATIBILITIES: Strong oxidizing agents. CONDITIONS TO AVOID: Excessive heat, open flame.

HAZARDOUS DECOM-

POSITION PRODUCTS: Carbon monoxide, carbon dioxide.

SECTION 11 TOXICOLOGICAL INFORMATION

------CHEMICAL NAME------Stoddard Solvent ------- 34,600mg/kg (oral/rat)

SECTION 12 ECOLOGICAL INFORMATION

No data.

SECTION 13 DISPOSAL CONSIDERATIONS

As a waste, this product in its raw form =DOES MEET= the criteria of a hazardous waste as defined by RCRA (40CFR361). As a waste, this product can be fuel blended at a fuel blending facility.

EPA Waste Code: D001

Dispose of in accordance with all applicable state, federal, and local regulations.

SECTION 14 TRANSPORTATION INFORMATION

DOMESTIC:

Dot Proper Shipping Name: Petroleum Distillates, n.o.s. (Nonanes)

UN Number: 1268
DOT Hazard Class: 3
Packing Group: III

DOT Hazard Label: Limited Quantity up to 5 Liters. Consumer Commodity ORM-D

Above 5 liters, Flammable Liquid

IATA and IMDG:

Proper Shipping Name: Petroleum Distillates, n.o.s. (Nonanes)

UN Number: 1268 Hazard Class: 3 Packing Group: III

Hazard Labels Required: Limited quantity (up to 5 Liters).

Above 5 liters, Flammable Liquid

Product No.: 84308, 84316, 84332, 84300, 843GA5, 843G55, 84408, 84416, 84432, 84400, 844GA5, 844G55

Trade Name: Star brite EZ-To-Store EZ-To-Start Gas Storage Additive and Date: Date: January 22, 2010

Star brite EZ-To-Store EZ-To-Start Diesel Additive

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

OSHA: Considered hazardous as defined by 29CFR1910.1200

EPA SARA TITLE III:

Section 311-312 (40CFR370): If stored in excess of the threshold quantities, this product should be reported as a(n):

- Immediate (acute) health hazard
- Delayed (chronic) health hazard
- Fire Hazard

Section 313 (40CFR372): This product contains the following ingredients which are subject to the reporting requirements of SARA 313.

- Xylene (1 – 5%)

STATE REGULATIONS

California Proposition 65: This product does not contain ingredients which are on the current Proposition 65

list.

New Jersey Right to Know: This product contains the following ingredients, which are non-hazardous, but are

among the top five ingredients in this product:

-----CHEMICAL NAME-----

Stoddard Solvent 8052-41-3

SECTION 16 OTHER INFORMATION

NOTES:

*NG = "Not Given"

*BT = "Between"

*< = "Less Than"

*> = "Greater Than"

USER'S RESPONSIBILITY: This MSDS provides environmental, health and safety information. This product is to be used in applications consistent with our product literature and container label. Individuals handling this product should be informed to the recommended safety precautions and have access to this MSDS. Please contact your local sales representative or our Environmental, Health and Safety Department for further information.

END OF MSDS